

## TEMPE TOWN LAKE WATER QUALITY 2004

Read Date 2004	Temperature (F)	pH	Transparency (inches)	Dissolved Oxygen (mg/L)
1/8/04	53.4 F	8.9	31"	12.4
1/15/04	55.8 F	8.7	30"	13.2
1/23/04	58.5 F	8.9	27"	11.0
1/29/04	57.2 F	8.9	22"	11.2
2/5/04	56.5 F	8.6	21"	13.3
2/13/04	54.1 F	8.9	20"	13.6
2/19/04	57.7 F	8.8	22"	13.1
2/26/04	59.4 F	8.8	26"	11.1
3/4/04	58.3 F	8.8	32"	9.0
3/11/04	66.9 F	8.9	38"	11.4
3/18/04	70.9 F	8.8	44"	11.3
3/26/04	72.9 F	8.7	44"	9.7
4/2/04	70.9 F	8.7	38"	7.8
4/8/04	69.6 F	8.9	36"	10.4
4/16/04	73.4 F	8.7	38"	8.2
4/23/04	71.8 F	8.7	40"	7.2
4/29/04	72.3 F	8.6	46"	6.9
5/6/04	77.5 F	8.7	48"	11.5
5/13/04	77.4 F	8.8	44"	7.6
5/20/04	78.4 F	8.9	43"	8.3
5/28/04	80.8 F	8.8	33"	8.7
6/3/04	83.7 F	8.8	33"	9.9
6/10/04	82.0 F	8.9	30"	9.5
6/18/04	85.3 F	8.9	29"	12.0
6/24/04	84.6 F	8.9	28"	13.4
7/1/04	82.0 F	8.9	29"	9.2
7/8/04	82.6 F	8.8	44"	7.7
7/15/04	87.4 F	8.4	70"	5.6
7/22/04	87.1 F	8.3	54"	3.8
7/29/04	86.2 F	8.1	70"	4.8
8/5/04	86.7 F	7.7	60"	5.4
8/12/04	86.9 F	8.3	50"	6.7
8/19/04	84.2 F	8.5	45"	7.4
8/26/04	84.7 F	7.9	44"	7.4
9/2/04	85.1 F	8.6	50"	8.4
9/9/04	83.7 F	8.2	50"	7.1
9/16/04	84.9 F	8.3	51"	7.9
9/23/04	78.1 F	8.3	43"	7.6
9/30/04	77.9 F	8.2	43"	8.4
10/7/04	77.5 F	7.8	44"	9.2
10/14/04	75.2 F	8.4	45"	6.0
10/22/04	70.3 F	8.1	61"	5.4
10/29/04	67.5 F	8.5	56"	6.6
11/4/04	63.5 F	8.4	47"	7.3
11/11/04	64.8 F	8.6	50"	7.3
11/16/04	60.8 F	8.0	45"	11.0
11/23/04	60.8 F	8.5	45"	7.3
11/30/04	57.4 F	8.4	51"	7.5
12/7/04	54.7 F	8.3	56"	7.8
12/14/04	57.0 F	8.5	53"	11.6