



**NOTES:**

1. THIS TYPE DRIVEWAY TO BE USED ONLY UPON APPROVAL OF CITY OF TEMPE ENGINEERING DEPARTMENT.
2. CLASS 'A' CONCRETE CONSTRUCTION AS PER SECT. 725.
- ③ 2' MIN. SAWCUT & REMOVAL OF ASPHALT ON EXISTING STREETS, PAVEMENT REPLACEMENT SHALL PER C.O.T. DETAIL T-311, T-312, T-313, T-315, T-316 OR T-317 ON 12" ABC ON MINIMUM 6" OF PREPARED SUBGRADE. OR MATCH EXISTING (WHICHEVER IS GREATER).



COMMERCIAL & INDUSTRIAL *				
DRIVEWAY WIDTH	MIN.	MAX.	CLASS	DEPTH
MAJOR STREET	30'	40'	A	9"
INDUSTRIAL & COLLECTOR ST.	30'	40'	A	9"
RESIDENTIAL *				
DRIVEWAY WIDTH	MIN.	MAX.	CLASS	DEPTH
MAJOR STREET	20'	30'	A	9"
COLLECTOR STREET	20'	30'	A	9"
LOCAL STREET	20'	30'	A	9"

APPROVED: \_\_\_\_\_ DATE \_\_\_\_\_  
 DEPUTY PUBLIC WORKS MANAGER  
 CITY ENGINEER



CITY OF TEMPE  
 PUBLIC WORKS DEPARTMENT

RETURN TYPE DRIVEWAYS

DETAIL T-319  
 REVISED 2007